



S

seriouX

2021
CATALOGUE



CONTENT

GAMING

DESKS	3
CHAIRS	4
PC CASES	10
POWER SUPPLY	11
KEYBOARDS	12
MICE	13
HEADPHONES	14
BUNDLES	15

AUDIO & VIDEO

PC SOUNDBARS	17
PC SPEAKERS	18
PORTABLE SPEAKERS	22
TV WALL MOUNTS	26
PROJECTOR MOUNTS	31
DIGITAL PHOTO FRAMES	31

CAR ACCESSORIES

FM TRANSMITTERS	33
GPS	34
DVR CAMERAS	35
JUMP STARTERS	36

IT & MOBILE

STORAGE	39
LINE INTERACTIVE UPS	40
OFFLINE UPS	41
PC CASES	42
POWER SUPPLY	43
BACKPACKS	44
NOTEBOOK BAGS	46
NOTEBOOK COOLERS	48
NOTEBOOK STANDS	49
BUNDLES	50
MICE	52
KEYBOARDS	54
POWERBANKS	56
GAME CONSOLES	60
IN-EAR HEADPHONES	61
ACCESSORIES	62

CONNECTORS

RETAIL SOLUTIONS

38

64

70



GAMING

SRXGT-RADIANCE

GAMING DESK RADIANCE

Cold-rolled carbon steel, thickness: 1.5mm

MDF table-top covered in carbon fiber

Size table-top: 1400*660*15mm

Mousepad size: 1400*660*2mm

Mousepad on the entire surface of the table-top(waterproof)

Headphone holder

Cup holder

Cable management storage box

Adjustable foot nail

Max Loading: 100KG

Color: Black



SRXGT-ERADIANCE

GAMING DESK eRADIANCE

Cold-rolled carbon steel, thickness: 1.5mm; MDF table-top covered in carbon fiber

Electric-height adjustable

Height adjustment range: 720 - 1230 mm

Table-top size : 1400*660*18mm; Mousepad size: 1400*660*3mm

Headphone hook; Cup holder

Cable management storage box

Intelligent height memory

Mousepad on the entire surface of the table top(waterproof)

Adjustable foot nail

Input voltage: 100~240V

Lifting speed: 20mm/s

Max Loading: 80KG

Color: Black



TORIN

Synthetic leather

Maximum supported weight: 120kg

Gas lift cylinder, Class 4

2D adjustable armrests

5-star base

Adjustable height 126-134 cm

Width 67 cm

Depth 63 cm


Backrest height 83 cm

Adjustable backrest: up to 170°

Detachable headrest cushion

Detachable lumbar cushion

Chair weight: 22kg



X-GC01-2D-R



X-GC01-2D-Y



X-GC01-2D-B



CLASS 4



GAS
PISTON

2 DIRECTIONS
ADJUSTABLE
ARMRESTS



STRONG
SYNTHETIC
LEATHER



ADJUSTABLE
HEIGHT



126 - 134 CM

DETACHABLE
HEAD & LUMBAR
PILLOWS



ADJUSTABLE
BACKREST



170°

TORIN TEXTILE

Textile material

Maximum supported weight: 150kg

Gas lift cylinder, Class 4

2D adjustable armrests

5-star base

Adjustable height 126-134 cm

Width 67 cm

Depth 63 cm

Backrest height 83 cm

Adjustable backrest: up to 170°


Detachable headrest cushion

Detachable lumbar cushion

Chair weight: 22kg



X-GC01-2D-T-B



X-GC01-2D-T-Y



X-GC01-2D-T-R



CLASA 4



GAS
PISTON

2 DIRECTIONS
ADJUSTABLE
ARMRESTS



STRONG TEXTILE
MATERIAL



ADJUSTABLE
HEIGHT

126 - 134 CM



DETACHABLE
HEAD & LUMBAR
PILLOWS



ADJUSTABLE
BACKREST

170°

KIDS

Synthetic leather

Maximum supported weight: 150kg

Gas lift cylinder, Class 4

2D adjustable armrests

5-star base

Adjustable height 108 - 117 cm

Width 59 cm


Depth 49 cm

Backrest height 66 cm


Adjustable backrest: up to 150°

Detachable headrest cushion


Chair weight: 15.7 kg



X-GC01-JR-R



X-GC01-JR-G



X-GC01-JR-O



CLASS 2



GAS
PISTON



2 DIRECTIONS
ADJUSTABLE
ARMRESTS



STRONG
SYNTHETIC
LEATHER



ADJUSTABLE
HEIGHT
108 - 117 CM



DETACHABLE
HEAD
PILLOW



ADJUSTABLE
BACKREST
150°



KESSIAN

Synthetic leather

Maximum supported weight: 150kg

Gas lift cylinder, Class 4

3D adjustable armrests

Adjustable height 50.5 - 58.5 cm

Width 58 cm


Depth 52 cm

Backrest height 89 cm

Adjustable backrest: up to 170°

Metallic base

Chair weight: 20 kg



X-GC01-A3-O



X-GC01-A3-R



THEON

Synthetic leather

Maximum supported weight: 150kg

Gas lift cylinder, Class 4

4D adjustable armrests

Adjustable height 50.5 - 58.5 cm

Width 60 cm

Depth 52 cm

Backrest height 88 cm

Adjustable backrest: up to 170°

Metallic base

Chair weight: 22.5 kg



X-GC01-A4-B



X-GC01-A4-W



ARES

Synthetic leather

Maximum supported weight: 100kg

Gas lift cylinder, Class 4

Fixed armrests


Adjustable height 44.5 - 52.5 cm

Width 53 cm

Depth 51 cm

Backrest height 78 cm

Chair weight: 15.6 kg



X-RC01-FX-G



X-RC01-FX-R



SRXC-KENAN

KENAN

Type: Middle Tower

Structure dimension: 400 x 185 x 440mm

Case dimension: 435 x 185 x 460mm

Drive bay: 6

Motherboard format: ATX / micro ATX / ITX

Expansion slots: 7

USB ports: 1x 3.0+ 2x 2.0, HD Audio

Fan capacity:

Front – 2x12cm (included)

Rear – 1x12cm (included)

Top – 2x12cm (included)

SRXC-MAKENNA

MAKENNA

Type: Middle Tower

Structure dimension: 405 x 185 x 415mm

Case dimension: 450 x 185 x 480mm

Drive bay: 6

Motherboard format: ATX / micro ATX / ITX

Expansion slots: 7

USB ports: 1x 3.0+ 2x 2.0, HD Audio

Fan capacity:

Front – 1x12cm (included)

Rear – 1x12cm

Top – 1x12cm (included)

SRXC-TYRON

TYRON

Type: Middle Tower

Structure dimension: 360 x 205 x 430mm

Case dimension: 400 x 205 x 460mm

Drive bay: 4

Motherboard format: ATX / micro ATX / ITX

Expansion slots: 7

USB ports: 1x 3.0+ 2x 2.0, HD Audio

Fan capacity:

Front – 3x12cm (included)

Rear – 1x12cm (included)

Top – 2x12cm (included)



SRX500W12PA80 / SRX550W12PA80 / SRX600W12PA80

SOLAS WHITE 500 / 550 / 600

Power: 500W / 550W / 600W

Input voltage: 230V

FAN: 12cm with thermal control

PFC: Active

Certification: 80+ White

Efficiency: >80%

Protections: OCP/OVP/UVP/SCP/OPP

Connectors & nylon net cables : 20+4 Pin (500mm); 2x HDD (400mm)

4x SATA (150mm); 4+4P (CPU) (450mm); 6+2P (PCI-E) (450mm)

Black case

1.2m EU plug



SRX600W12PA85 / SRX650W12PA85 / SRX700W12PA85

SOLAS BRONZE 600 / 650 / 700

Power: 600W / 650W / 700W

Input voltage: 230V

FAN: 12cm with thermal control

PFC: Active

Certification: 80+ Bronze

Efficiency: >85%

Protections: OCP/OVP/UVP/SCP/OPP

Connectors & nylon net cables : 20+4 Pin (500mm); 2x HDD (450mm)

4x SATA (150mm); 4+4P (CPU) (550mm); 6+2P (PCI-E) (480mm)+6+2Pin (150mm)

Black case

1.2m EU plug



SRXMK-FREYA

FREYA


Gaming Mechanical Keyboard
OUTEMU blue switch, 50 million clicks
87 keys, 26 keys anti-ghosting
9 kinds of running rainbow modes
Material: ABS
US layout,
Operating force: 60g ± 10g
Plug and play
1.5M USB PVC cable



SRXMK-VALDIS

VALDIS

Gaming Mechanical Keyboard
OUTEMU blue switch, 50 million clicks
104 keys, 26 keys anti-ghosting
9 kinds of running rainbow modes
Material: ABS
US layout
With removeable leather palm rest
Operating force: 60g ± 10g
Plug and play
1.5M USB PVC cable



SRXK-ANDOR

ANDOR


Gaming Keyboard
104 keys, 19 keys Anti-ghosting
Ergonomic design
One model LED rainbow backlight, with breath mode
Black metal structure, black keys, with palm rest design
1.5M USB PVC cable
Plug and play



SRXM-YDEN

YDEN

Gaming mouse
 PMW3325 chip, up to 10.000 DPI (with software)
 HUANO switch, 20 million left & right keys life
 8 buttons gaming mouse
 RGB light
 Ergonomic design
 1.5 meters USB Braided cable
 Plug and play



SRXM-TOBIS

TOBIS


Gaming mouse
 Sunplus 192 chip, 1000-6400 DPI
 HUANO switch, 20 million left & right keys life
 8 buttons gaming mouse
 3 kinds of running RGB modes
 1.5 meters USB Braided cable
 Plug and play



SRXM-KAYEL

KAYEL

Gaming mouse
 Sunplus 199 chip, 800-6400 DPI,
 HUANO switch, 20 million left & right keys life
 7 buttons gaming mouse
 6 kinds of running RGB modes
 1.5 meters USB Braided cable
 Plug and play



X-HP-RUARI

RUARI

Speakers diameter: 40 mm (NdFeB)

Impedance: 32 Ohm

Frequency range: 20-20.000 Hz

Sensitivity: 118 dB / 1 kHz

1 x 3.5 mm connection

Cable length: 2m

In-line volume and mic remote control



X-HP-CRONAN

CRONAN

Speakers diameter: 40 mm (NdFeB)

Impedance: 32 Ohm

Frequency range: 20-20.000 Hz

Sensitivity: 118 dB / 1 kHz

1 x 3.5 mm connection + USB for lighting

Cable length: 2m

In-line volume and mic remote control



X-HP-ADAIR

ADAIR

Speakers diameter: 40 mm (NdFeB)

Impedance: 32 Ohm

Frequency range: 20-20.000 Hz

Sensitivity: 118 dB / 1 kHz

1 x 3.5 mm connection

Cable length: 2m

In-line volume and mic remote control



SRXB-TOBIS3IN1

GAMING KIT TOBIS 3 IN 1

Gaming Keyboard

104 keys, 7 keys Anti-ghosting
1.5 m USB PVC cable

Gaming mouse with 8 buttons
3 kinds of running RGB modes

HUANO switch, 20 million left & right keys life
Sunplus 192 chip, 1000-6400 DPI

Mousepad with anti-slip rubber base
Stitched edges

Size: 400 x 300 x 4 mm



SRXB-KAYEL4IN1

GAMING KIT KAYEL 4 IN 1

Gaming Keyboard

104 keys, 19 Anti-ghosting keys
1.5 m USB PVC cable

Gaming mouse with 7 buttons
6 kinds of running RGB modes

Headphones with red backlight

Connection type: jack 3.5 mm + USB for lighting
Driver Unit: 40 mm

Mousepad with anti-slip rubber base

Size: 400 x 300 x 4 mm



SRXMP-ENIRO-S

ENIRO SMALL

Mousepad gaming

Baza cauciucata anti-alunecare

Suprafata textila

Margini cusute

Dimensiuni 400 x 300 x 4 mm



SRXMP-ENIRO-S

ENIRO LARGE


Mousepad gaming

Baza cauciucata anti-alunecare

Suprafata textila

Margini cusute

Dimensiuni 900 x 350 x 4 mm





AUDIO & VIDEO

SRXSSB28

SOUNDBAR PC

SOUNDVIBE 20

Chipset: Conwise CW6633E

Bluetooth version: V4.2

Battery: 2200mAh, 7.4V, 18650

Playing time: 4 hours

Speaker: 2pcs, 4Ω, 10W, 50mm

Passive radiator: 2pcs

Material: ABS casing, fabric mesh

Size: 450*60mm & Weight: 821g

Hands-free call

TF card playing

AUX-in playing

USB disk playing

FM radio

Time display

Dual alarm clock



SRXSSB26

SOUNDBAR PC

SOUNDVIBE 10

Chipset: RDA5856L

Bluetooth version: V4.2

Battery: 2200mAh, 3.7V, 18650

Playing time: 4 hours

Speaker: 2pcs, 4Ω, 5W, 50mm

Passive radiator: 2pcs

Material: ABS casing, iron mesh

Size: 380*73*52mm & Weight: 660g

Hands-free call

TF card playing

AUX-in playing

USB disk playing

FM radio

Alarm clock

Touch button



SBHT5100C

5.1 AUDIO SYSTEM

SOUNDBOOST HT5100C

Total power: 140W RMS

Satellite power: 5 x 18W RMS

Subwoofer power: 50W RMS

Subwoofer amplifier


Frequency: 40 - 20000Hz

SD/MMC

USB Port

FM Radio

Remote control




SBHT2100C

2.1 AUDIO SYSTEM

SOUNDBOOST HT2100C

Total power: 16W RMS
Satellite power: 2 x 3W
Subwoofer power: 10W
Frequency: 40 - 20000Hz
Subwoofer power: 10W RMS
Subwoofer amplifier



SRXS-SB2000C

2.0 SPEAKERS

SOUNDBOOST 2000C

Total power: 6W RMS
Satellite power: 2 x 3W
Frequency: 100 - 18000 Hz
Integrated amplifier
USB charging



SRXS-51105W

5.1 AUDIO SYSTEM

SOUNDRISE

Total power: 105W RMS

Satellite power: 5 x 15W RMS

Subwoofer power: 30W RMS

Frequency: 40Hz-150Hz 150Hz-20000Hz

LED display

Bluetooth

USB Port/AUX

SD/MMC

FM Radio

Remote control



SRXS-2160W

2.1 AUDIO SYSTEM

SOUNDRISE

Total power: 60W RMS

Satellite power: 2 x 15W RMS

Subwoofer power: 30W RMS

Frequency: 40Hz-150Hz 150Hz-20000Hz

LED display


Bluetooth

USB Port/AUX

SD/MMC

FM Radio

Remote control



SRXTSLY130W

TROLLEY SPEAKER

SOUNDCASE 130

RMS power: 130W

Connection: Bluetooth 3.0, USB, SD, FM radio, AUX, PC in, microphone, guitar

LED display

Accessories: remote control, microphone

Speaker impedance: 1x 10" 3 ohm + 2x 2" 3 ohm

Frequency response: 40Hz-20000Hz

S/N ratio: >75dB

Rechargeable battery: 7200 mAh



SRXTSLY40W

TROLLEY SPEAKER

SOUNDCASE 40

RMS power: 40W

Connection: Bluetooth 3.0, USB, SD, FM radio, AUX, PC in, microphone, guitar

LED display

Accessories: remote control, microphone

Speaker impedance: 1x 8" 3 ohm + 2x 2" 3 ohm

Frequency response: 40Hz-20000Hz

S/N ratio: >75dB

Rechargeable battery: 2800 mAh



BLUETOOTH SPEAKER

JOY

Retro Design
5W RMS
Battery 2000mAh
Autonomy 8-9 hours
MicroSD & USB ports
Handsfree function
FM Radio functin
3.5mm Jack
Remote control



SRXS-JOYBLTGR



SRXS-JOYBLTPCH



SRXS-JOYBLTBL




SRXS-TP20W1-SL

BLUETOOTH SPEAKER



VIBE 20

Power: 2 x 10W RMS
Metallic case
Bluetooth 4.0
Autonomy 6 hours
Battery 2000mAH
3.5mm Jack



SRXS-TP20W2-SL
BLUETOOTH SPEAKER
BEAT 20

Power: 2 x 10W RMS
Metallic case
Bluetooth 4.0
Autonomy 6 hours
Battery 2000mAH
3.5mm Jack




SRXS-TP5W1-SL

BLUETOOTH SPEAKER

WAVE PRISM 5

Power: 3W
Material: fabric
Autonomy 5 hours
Battery 500mAH
3.5mm Jack



SRXS-TP12W1-SL

BLUETOOTH SPEAKER

WAVE PRISM 12

Power: 2 x 6W RMS
Material: fabric
Bluetooth 4.0
Autonomy 8 hours
Battery 4000mAH
3.5mm Jack

SRXS-TP5W2-SL

BLUETOOTH SPEAKER

WAVE CUBE 5

Power: 3W
Material: fabric
Autonomy 5 hours
Battery 500mAH
3.5mm Jack



SRXS-TP12W2-SL

BLUETOOTH SPEAKER

WAVE CUBE 12

Power: 2 x 6W RMS
Material: fabric
Bluetooth 4.0
Autonomy 8 hours
Battery 4000mAH
3.5mm Jack



SRXA-TV23F

TV WALL MOUNT

TV23F, 32" - 65"

TV Wall Mount, fixed

Screen size 32"-65"

Maximum Supported Weight: 35Kg

Maximum VESA Compatibility: 600x400

Articulation out of the wall: 25mm



SRXA-TV24T

TV WALL MOUNT

TV24T, 32" - 65"

TV Wall Mount, tilt

Screen size 32"-65"



Swivel: +/- 25 grade

Tilt: +12/0 grade

Maximum Supported Weight: 35Kg

Maximum VESA Compatibility: 600x400

Articulation out of the wall: 35mm



SRXA-TV22FM

TV WALL MOUNT

TV22FM, 26" - 55"

TV Wall Mount, full-motion

Screen size 26"-55"

Swivel: +/- 90 grade

Tilt: -5/+12 grade

Maximum Supported Weight: 25Kg

Maximum VESA Compatibility: 400x400

Articulation out of the wall: 61-348mm



SRXA-TV22F

TV WALL MOUNT

TV22F, 14" - 42"

TV Wall Mount, fixed


Screen size 14"-42"

Tilt: +15/-15 grade

Maximum Supported Weight: 25Kg

Maximum VESA Compatibility: 200x200

Articulation out of the wall: 48mm



SRXA-TV22T

TV WALL MOUNT

TV22T, 10" - 24"

TV Wall Mount, tilt
Screen size 10"-24"
Swivel: +/- 20 grade
Tilt: +10/-5 grade
Maximum Supported Weight: 15Kg
Maximum VESA Compatibility: 200x200
Articulation out of the wall: 48mm




SRXA-TV23T

TV WALL MOUNT

TV23T, 17" - 42"

TV Wall Mount, tilt
Screen size 17"-42"
Swivel: +/- 25 grade
Tilt: +12/-2 grade
Maximum Supported Weight: 25Kg
Maximum VESA Compatibility: 200x200
Articulation out of the wall: 57mm



SRXA-TV814B

TV WALL MOUNT

TV814B 32"-70"

TV Wall Mount, fixed

Screen size 32"-70"

Maximum Supported Weight: 40Kg

Maximum VESA Compatibility: 600x400

Bubble level

Articulation out of the wall: 23mm



SRXA-TV804B

TV WALL MOUNT

TV804B 32"-70"

TV Wall Mount, tilt

Screen size 32"-70"

Tilt: +10/-10 grade

Maximum Supported Weight: 40Kg

Maximum VESA Compatibility: 600x400

Bubble Level

Articulation out of the wall: 50mm



SRXA-TV3101X

TV WALL MOUNT

TV3101X 32"-65"

TV Wall Mount, tilt

Screen size 32"-65"

Tilt: +5/-15 grade

Swivel: +/- 180 grade

Maximum Supported Weight: 30Kg

Maximum VESA Compatibility: 400x400

Articulation out of the wall: 60-215mm



SRXA-MM902

DUAL MONITOR STAND

MM902, 10" - 27"

Gas spring desk support
Aluminum structure
Setting tilt angle position: -45° / +55°
Swivel: 180°
Rotation: 360°
Max height: 40cm
Height adjust range: 25cm
Bottom Clamp Support Thickness: 0-9.5cm
VESA: 75x75mm & 100x100mm
Maximum Supported Weight: 9kg




SRXA-MM1903A

DUAL MONITOR STAND

MM1903A, 10" - 27"

Economical Desktop Mount
Tilt: +/- 90°
Swivel: 180°
Rotation: 360°
VESA: 75x75/100x100mm
Compatibility: 10"-27"
Height adjustable: 400mm
Arm extension: 415mm
Maximum Supported Weight: 8kg



SRXA-PJM38-62

PROJECTOR MOUNT

PJM38-62

Height adjustable: 38-62cm

Swivel: +/- 90 grade

Tilt: -15/+15 grade

Minimum VESA compatibility: 100x100

Maximum VESA compatibility: 220x220

Maximum Supported Weight: 8Kg



SRXA-PJM1A

PROJECTOR MOUNT

PJM1A

Height adjustable: 43-65 cm


Tilt: -15 to +15°

Square Tube: 30x30mm

Universal Mounting Pattern

With Cable Management

Maximum Supported Weight: 10kg



SA702LED

DIGITAL PHOTO FRAME

SMARTART 702LED

7" LED display, 16:9 format

Resolution: 800*480 pixels

Contrast 300:1

Brightness: 300cd/mp

SD/MMC/SDHC

USB Port for memory stick



SA882MLED

DIGITAL PHOTO FRAME

SMARTART 882MLED

8" LED display, 4:3 format

Resolution: 1024*768 pixels

Contrast 400:1

Brightness: 300cd/mp

SD/MMC/SDHC

USB Port for memory stick

Multimedia: MP3, video MP4, ebook





CAR ACCESORIES

SRXA-ABFM60

FM TRANSMITTER

ABFM60

Bluetooth V5.0, range up to 5 meters
Input: 1x DC 12V/24V
2 USB Ports:
1 X DC5V 2.4A Max
1 x audio USB (up to 32GB)
MicroSD slot (up to 32GB)
Format music : MP3/WMA/WAV
FM Frequency: 87.5MHz - 108.0MHZ
Built-in Microphone
Features: Answer/Reject/Hang up/Recall



SRXA-ABFM50

FM TRANSMITTER

ABFM50

Bluetooth V5.0, range up to 5 meters
Input: 1x DC 12V/24V
2 USB Ports:
1 X DC5V 2.4A Max
1 x audio USB (up to 32GB)
MicroSD slot (up to 32GB)
Format music : MP3/WMA/WAV
FM Frequency: 87.5MHz - 108.0MHZ
Built-in Microphone
Features: Answer/Reject/Hang up/Recall



SRXA-ABFM46

CAR FM TRANSMITTER

ABFM46

Bluetooth V5.0, range up to 5 meters
Input: 1x DC 12V/24V
2 USB Ports:
1 X USB QC3.0
1 x audio USB (up to 32GB)
Format music : MP3/WMA/WAV
FM Frequency: 87.5MHz - 108.0MHZ
Built-in Microphone
LED strip, 7 colors
Features: Answer/Reject/Hang up/Recall





UPQ430FE

GPS 4.3"

URBANPILOT UPQ430FE FULL EUROPE

Screen size: 4.3"
 Resolution: 480*272 pixels
 Processor: MSTAR MSB2531 800MHz
 Memory: RAM 128MB DDR3
 Internal memory: 4GB flash
 Memory slot: max 21GB MicroSD
 22 signal receiver channels
 FM transmitter
 Supported files:
 Video - MP4/AVI/WMWDIVX/XVID/ASF
 Audio - MP3/WMA
 Photo - JPG/BMP/PNG
 Documents - TXT
 OS: WinCE
 850mAh Li-ion Battery



UPQ430

GPS 4.3"

URBANPILOT UPQ430

Without map



UPQ500FE

GPS 5"

URBANPILOT UPQ500FE FULL EUROPE

Screen size: 5.0"
 Resolution: 800*480 pixels
 Processor: MSTAR MSB2531 800MHz
 Memory: RAM 256MB DDR3
 Internal memory: 8GB flash
 Memory slot: max 21GB MicroSD
 22 signal receiver channels
 FM transmitter
 Supported files:
 Video - MP4/AVI/WMWDIVX/XVID/ASF
 Audio - MP3/WMA
 Photo - JPG/BMP/PNG
 Documents - TXT
 OS: WinCE
 950mAh Li-ion Battery



UPQ500

GPS 5"

URBANPILOT UPQ500

Without map



UPQ700FE

GPS 7"

URBANPILOT UPQ700FE FULL EUROPE

Screen size: 7.0"
 Resolution: 800*480 pixels
 Processor: MSTAR MSB2531 800MHz
 Memory: RAM 256MB DDR3
 Internal memory: 8GB flash
 Memory slot: max 21GB MicroSD
 22 signal receiver channels
 FM transmitter
 Bluetooth
 Supported files:
 Video - MP4/AVI/WMWDIVX/XVID/ASF
 Audio - MP3/WMA
 Photo - JPG/BMP/PNG
 Documents - TXT
 OS: WinCE
 1600mAh Li-ion Battery



UPQ700

GPS 7"

URBANPILOT UPQ700

Without map



SDVR-US200B / SDVR-US200W

DVR CAMERA

URBAN SAFETY 200

Recording resolution: FullHD 1080p, 30fps

Video format: MP4

Screen size: 1.22" LCD

Screen resolution: 204x240pixels

Viewing angle: 130°

Storage: MicroSD 64GB, Class 10

Magnetic grip

Functions: audio stereo, microphone, 360° rotating angle, loop-cycle recording, G-sensor, movement detection

Accessories: remote control car charger with additional USB port

Color: black / white



SDVR-US200+B / SDVR-US200+W

DVR CAMERA

URBAN SAFETY 200+

Recording resolution: FullHD 1080p, 30fps

Video format: MP4

Screen size: 1.22" LCD

Screen resolution: 204x240pixels

Viewing angle: 130°

Storage: MicroSD 64GB, Class 10

Magnetic grip

Functions: GPS, audio stereo, microphone, 360° rotating angle, loop-cycle recording, G-sensor, movement detection

Accessories: remote control car charger with additional USB port

Color: black / white



SRXA11K200A

MULTIFUNCTIONAL JUMP STARTER

11K200A

Capacity: 11100 mAh

Flashlight with 3 modes:
normal, flashing and S.O.S

12V jump start

Start current: 200A

Peak current: 400A

Lifetime > 1.000 cycles

Operation temperature: -20OC ~ 60OC

Protections: short circuit proof, over charge and
discharge protection

Input ports: 14V/1A; 5V/1A

Output ports: 5V/2A; 12V/12A; 19V/3.5A



SRXA12K300A

MULTIFUNCTIONAL JUMP STARTER

11K300A

Capacity: 12000 mAh

Flashlight with 3 modes:
normal, flashing and S.O.S

12V jump start

Start current: 300A

Peak current: 600A


Lifetime > 1.000 cycles

Operation temperature: -20 C- 60 C

Protections: short circuit proof, over charge and
discharge protection

Input ports: 14V/1A; 5V/1A

Output ports: 5V/4A; 12V/12A; 12V/8A; 19V/3.5A





IT & MOBILE

USB FLASH DRIVE

DATAVAULT V35

Capac de protectie rotativ

SFUD04V35

4GB Capacity, USB2.0

SFUD08V35

8GB Capacity, USB2.0

SFUD16V35

16GB Capacity, USB2.0

SFUD32V35


32GB Capacity, USB2.0

SFUD64V35

64GB Capacity, USB2.0

SFUD128V35

128GB Capacity, USB3.0



USB FLASH DRIVE

WITH SD ADAPTOR

SFTF08AC10

8GB Capacity
Clasa 10

SFTF64AC10

64GB Capacity
Clasa 10, UHS-I

SFTF16AC10

16GB Capacity
Clasa 10

SFTF128AC10

128GB Capacity
Clasa 10, UHS-I

SFTF32AC10

32GB Capacity
Clasa 10





GENERAL FEATURES

Line Interactive
Frequency: 50/60 Hz
Transfer time: 2-6ms
Alarm
RJ45 + USB
LCD screen
Output voltage range: 230Vac
Input voltage range: 145-275Vac
Overload and overcurrent protection
High/low voltage protection, filters
Average charging time: 8 hours

SRXU-600LI

UPS

600LI

Power: 600VA/360W
2 x EU Schuko sockets
Battery: 12V/7Ah
Average operating time: 15 minutes

SRXU-800LI

UPS

800LI

Power: 800VA/480W
2 x EU Schuko sockets
Battery: 12V/9Ah
Average operating time: 20 minutes



SRXU-1200LI

UPS

1200LI

Power: 1200VA/720W
3 x EU Schuko sockets
Battery: 2 x 12V/7Ah
Average operating time: 30 minutes

SRXU-1000LI

UPS

1000LI

Power: 1000VA/600W
3 x EU Schuko sockets
Battery: 2 x 12V/7Ah
Average operating time: 30 minutes

SRXU-1500LI

UPS

1500LI

Power: 1500VA/900W
3 x EU Schuko sockets
Battery: 2 x 12V/9Ah
Average operating time: 40 minutes





SRXU-1000S

UPS

PROTECTIT 1000S

Power: 1000VA/600W.
2 x EU Schuko sockets
Average charging time: 5 hours
Average operating time: 12 minutes

SRXU-1200S

UPS

PROTECTIT 1200S

Power: 1200VA/700W
2 x EU Schuko sockets
Average charging time: 8 hours
Average operating time: 8 minutes



GENERAL FEATURES

Frequency: 50/60 Hz
2 x 12V/7AH batteries
LCD screen

Output voltage range: 230Vac
Input voltage range: 145-275Vac
Overload and overcurrent protection
High/low voltage protection, filters



SRXU-650LS

UPS

PROTECTIT 650LS

Power: 650VA/400W
2 x EU Schuko sockets
Average charging time: 5 hours
Average operating time: 8 minutes

SRXU-850LS

UPS

PROTECTIT 850LS

Power: 850VA/500W
4 x EU Schuko sockets
Average charging time: 5 hours
Average operating time: 12 minutes



SRXC-MUSTANG-450W

PC CASE

MUSTANG 450

Type: Middle Tower
Structure dimension: 350 x 175 x 405mm
Case dimension: 380 x 175 x 405mm
Drive bay: 5
Motherboard format: ATX / micro ATX / ITX
450W power supply included
Expansion slots: 7
Fan capacity:
Front – 1x12cm (included)
Rear – 1x8/9cm
USB ports: 1x 3.0+ 2x 2.0
HD Audio



SRXC-CLASSIC

PC CASE

CLASSIC

Type: Middle Tower
Structure dimension: 330 x 175 x 410mm
Case dimension: 360 x 175 x 410mm
Drive bay: 5
Motherboard format: ATX / micro ATX / ITX
Power supply format: ATX
Expansion slots: 7
Fan capacity:
Front – 1x12cm
Rear – 1x8/9cm
Side - 1x12cm (included)
USB ports: 1x 3.0+ 2x 2.0
HD Audio



SRXC-OFFICE

PC CASE

OFFICE

Type: Middle Tower
Structure dimension: 370 x 175 x 430mm
Case dimension: 400 x 175 x 440mm
Drive bay: 5
Motherboard format: ATX / micro ATX / ITX
Power supply format: ATX
Expansion slots: 7
Fan capacity:
Front – 1x12cm
Rear – 1x8/9cm
Side - 1x12cm (included)
USB ports: 1x 3.0+ 2x 2.0
HD Audio



SRXC-BASIC-450W

PC CASE

BASIC 450

Type: Middle Tower
Structure dimension: 330 x 175 x 410mm
Case dimension: 360 x 175 x 410mm
Drive bay: 5
Motherboard format: ATX / micro ATX / ITX
450W power supply included
Expansion slots: 7
Fan capacity:
Front – 1x12cm (included)
Rear – 1x8/9 cm
Side: 1x 12 cm
USB ports: 1x 3.0+ 2x 2.0
HD Audio



PC POWER SUPPLY

BULK

Input Voltage: 230V

Fan: 8 cm

Protections: OCP/OVP/UVP/SCP/OPP

Cables:

1x 20+4pin

1x 4+4pin

2x Molex

2x SATA

1.2m EU Power cord

Bulk

SRX-400W8CM-BULK

Power: 400W

SRX-450W8CM-BULK

Power: 450W



PC POWER SUPPLY

ENERGY

Input Voltage: 230V

Fan: 12 cm

Protections: OCP/OVP/UVP/SCP/OPP

Cables:

1x 20+4pin

1x 4+4pin

1x PCI-E 6+2pin

2x Molex

4x SATA

1.2m EU Power cord

SRX-450W12CM

Power: 450W

SRX-500W12CM

Power: 500W

SRX-550W12CM

Power: 550W



SRXBK-ST9590

NOTEBOOK BACKPACK

SMART TRAVEL 9590

Dimension: 31 x 16 x 46 cm

Water resistant

Multiple compartment

Separate laptop compartment - max. 15.6"

USB Charging Port

Hidden back pocket

Polyester material



SRXBK-ST9588

NOTEBOOK BACKPACK

SMART TRAVEL 9588

Dimension: 32 x 19 x 46 cm

Water resistant

Multiple compartment

Separate laptop compartment - max. 15.6"

USB Charging Port

Hidden back pocket

Polyester material



SRX-BPK-TRIP-PP

NOTEBOOK BACKPACK

TRIP

Separate laptop compartment - max. 15.6"

Compartments:

- one main compartment with 2 organizers
- one notebook built-in padded compartment
- two front pockets with organizer and key fob
- 4 side pockets

Padded straps with Shock Absorbing technology, height adjustable with sun glasses loop holder

Padded back

Reflective elements

Top carry-handle

Nylon material



SRXBKLOCK

NOTEBOOK BACKPACK

LOCK

Anti-Theft Backpack

Separate laptop compartment - max. 15.6"

Water resistant

Compartments:

- 1x main compartment
- 1x for 10" tablet

USB port with cable included

Adjustable straps

Strap pocket

Reinforced back panel

Reinforced straps

Reflective details

Capacity: 12l

Weight: 700g

Polyester material



SRX-ST9611

SINGLE STRAP BAG

SMART TRAVEL 9611

Dimensions 21 x 10 x 31 cm

Water-resistant

Detachable shoulder strap

Polyester material



SRXNB-ST9610

NOTEBOOK BAG

SMART TRAVEL 9610

Dimensions 43 x 11 x 30cm

Water-resistant

Laptop compartment : up to 15.6"

Trolley sleeve at the back

Polyester material



SRX-8915

NOTEBOOK BAG

8915

Dimensions 42 x 4,5 x 29,5 cm

Laptop compartment : up to 15.6

Shoulder strap

Polyester material



SRX-8444

NOTEBOOK BAG

8444

Dimensions 40 x 30 x 6 cm

Laptop compartment : up to 15.6"

Trolley sleeve at the back

Shoulder strap

Polyester material



SNC-EL156

NOTEBOOK BAG

EL156

Dimensions: 42 x 32.5 x 5.5cm

Laptop compartment : up to 15.6"

2 compartments

Detachable shoulder strap

Nylon 600D material



SRXNCP025

NOTEBOOK COOLER

SRXNCP025

Dimension: 390 x 280 x 28 mm

Suitable for
max. 17.3 inch notebooks

Fans:

2x 125 x 125 x 15 mm

2x 70 x 70 x 15 mm

Noise: 15-20dB

Air flow: 56-75CFM

Operating voltage: DC 5V

Fan speed: 1200 RPM

Display LCD

2 USB ports

Blue LED color

USB Cable length: 55 cm

Adjustable height



Net weight: 700 g

Material: Plastic and metal

SRXNCP035

NOTEBOOK COOLER

SRXNCP035

Dimension: 415 x 295 x 27 mm

Suitable for
max. 17.3 inch notebooks

Fans:

1x 120 x 120 x 15mm

4x 70 x 70 x 15 mm

Noise: 20dB

Operating voltage: DC 5V

Fan speed: 1500 RPM

2 USB ports

Blue LED color

USB Cable length: 55 cm

Adjustable height

Net weight: 700 g

Material: Plastic and metal



SRXNCPN19

NOTEBOOK COOLER

SRXNCPN19

Dimension: 330 x 250 x 27 mm

Suitable for
max. 15.6 inch notebooks

Fan size: 125 x 125 x 15 mm

Noise: 46dB

Air flow: 20CFM

Operating voltage: DC 5V

Fan speed: 1000 RPM

Net weight: 380 g

Material: Plastic and metal



SRXNCP007

NOTEBOOK COOLER

SRXNCP007

Dimension: 340 x 250 x 23 mm

Suitable for
max. 15.6 inch notebooks

Fans:

2x 125 x 125 x 15 mm

Noise: 10dB

Air flow: 20CFM

Operating voltage: DC 5V

Fan speed: 1500RPM

Blue LED color

Net weight: 455 g

Material: Plastic and metal



SRXNCPU6L

SUPPORT NOTEBOOK

U6L

Material: Aluminum

Open size: 197 x 245 x 4 mm

Folded size: 60 x 245 x 4mm

Thickness: 4 mm

Weight: 215 g

Compatible Size: fit up to 15.6"

5 adjustable angles

Color: silver



SRXNCPU6

SUPPORT NOTEBOOK

U6

Material: Aluminum

Open size: 197 x 255 x 4 mm

Folded size: 60 x 250 x 4 mm

Thickness: 4 mm

Weight: 182 g

Compatible Size: fit up to 15.6"

5 adjustable angles

Color: silver



SRXNCPU2

SUPPORT NOTEBOOK

U2

Material: Aluminum

Open size: 190 x 250 x 4 mm

Folded size: 60x 250 x 4 mm

Thickness: 4 mm

Weight: 180 g

Compatible Size: fit up to 15.6 inch

4 adjustable angles

Color: silver



SRX9900BK

WIRELESS MOUSE & KEYBOARD KIT

RETRO DARK 9900BK

Technology: Wireless

Mouse: Optic

Optical sensor:

800 / 1200 / 1600 DPI adjustable

Keyboard type: Standard

Layout: US

Operating distance:

6-10 m

Interface:

USB with nano receiver

Compatible with:

Windows / Linux / Mac



SRX9910WH

WIRELESS MOUSE & KEYBOARD KIT

RETRO LIGHT 9910WH

Technology: Wireless

Mouse: Optic

Optical sensor:

800 / 1200 / 1600 DPI adjustable

Keyboard type: Standard

Layout: US

Operating distance:

6-10 m

Interface:

USB with nano receiver

Compatible with:

Windows / Linux / Mac



SRXK-NK9800WR

WIRELESS MOUSE & KEYBOARD KIT

NK9800WR

Wireless Technology

Slim, multimedia keyboard

Mini mouse, 1200DPI

Maximum operating distance:
10 m

Interface: USB
with nano receiver



SRX-MKM5500

MOUSE & KEYBOARD KIT

MKM5500

Multimedia keyboard 12 buttons

Optical mouse 800DPI

USB connection



WIRELESS MOUSE

DRAGO 300

Wireless Mouse, nano receiver 2.4GHz
Optical sensor
Resolution: 1000 DPI
3 buttons + scroll
Operating distance: up to 10 m
1 AA Battery (included)



DRAGO300-BL



DRAGO300-BK



DRAGO300-RD

WIRELESS MOUSE

PASTEL 600

Wireless Mouse, nano receiver 2.4GHz
Optical sensor
Resolution: 1000/1600 DPI
6 buttons + scroll
Operating distance: up to 10 m
2 AAA Batteries (included)



SRXM-PST600W-PP



SRXM-PST600W-BL



SRXM-PST600W-GR



SRXM-PST600W-RD



SRXM-PST600W-BK

WIRELESS MOUSE

RAINBOW 400

Wireless Mouse, nano receiver 2.4GHz
Optical sensor
Resolution: 1000/1600 DPI
4 buttons + scroll
Operating distance: up to 10 m
2 AAA Batteries (included)



SRXM-RBM400W-GR



SRXM-RBM400W-BK



SRXM-RBM400W-BL



SRXM-RBM400W-PP



SRXM-RBM400W-RD



MOUSE

PASTEL 3300

Wired mouse, cable length 1.6 m
Optical sensor
Resolution: 1000 DPI
3 buttons + scroll
USB connection



PMO3300-BK

PMO3300-RD

MOUSE

9800MBK

Wired mouse, cable length 1.6 m
Optical sensor
Resolution: 1000 DPI
3 buttons + scroll
Ambidextrous
USB connection



SRX9800MBK

MOUSE

RAINBOW 680

Wired mouse, cable length 1.6 m
Optical sensor
Resolution: 1000 DPI
3 buttons + scroll
USB connection



RBM680-BK



RBM680-BL



RBM680-GR



RBM680-RD



SRXK-9400MM

MULTIMEDIA KEYBOARD

9400MM

Multimedia keyboard

117 keys

11 multimedia keys

US layout

USB connection

Plug & Play



SRXK-9400USB

USB KEYBOARD

9400USB

Standard keyboard

104 keys

US layout

USB connection

Plug & Play



SRXK-9400ROUSB

USB ROMANIAN LAYOUT KEYBOARD

9400ROUSB

Standard keyboard
104 keys
RO layout
USB connection
Plug & Play



SRXK-9500I

BACKLIT KEYBOARD

9500i

Standard keyboard
104 keys
US layout
USB connection
Rainbow backlit
Slim Chiclet keys
Plug & Play



SRXPB-A10KQC-QI-W

QUICK CHARGE & WIRELESS POWERBANK

A10KQC-QI-W

Capacity: 10.000 mAh; Li-Polymer Battery

Wireless charging

LED Indicator

Waterproof and Dustproof

Input: Micro USB; Output:USB A

Type C port (in/out)

Cables included:

1x Micro USB (fast charging) 0.6 m

1x Type C (fast charging) 0.6 m

Dimensions: 15.4 x 7.7 x 2.0cm

Weight: 260 g

Color: White



SRXPB-A20KQC-W

QUICK CHARGE POWERBANK

A20KQC-W

Capacity: 20.000 mAh; Li-Polymer Battery

LED Indicator

Flashlight

Input: Micro USB; Output: USB A

Type C port (in/out)

Cables included:

1x Micro USB (fast charging) 0.6 m

1x Type C (fast charging) 0.6 m

Dimensions: 16.0 x 7.5 x 2.2 cm

Weight: 450 g

Color: White



SRXPB-A10KQC-W

QUICK CHARGE POWERBANK

A10KQC-W

Capacity: 10.000 mAh; Li-Polymer Battery

LED Indicator

Flashlight

Input: Micro USB; Output:USB A

Type C port (in/out)

Cables included:

1x Micro USB (fast charging) 0.6 m

1x Type C (fast charging) 0.6 m

Dimensions: 13.1 x 7.0 x 1.5 cm

Weight: 255 g

Color: White



SRXPB-A5K-B

POWERBANK

A5K-B

Capacity: 5.000 mAh
Li-Polymer Battery
LED Indicator
Input: MicroUSB
Output: 2 USB ports
Micro USB cable included (0.3m)
Dimensions: 12.2x 6.2 x 1.1 cm
Weight: 165 g
Color: Black



SRXA-PB01

POWERBANK

3 IN 1 WITH SCALE

1. Power bank 1xUSB 1A
Capacity: 2600 mAh
Input power: 800 mA
Output power: 1000 mA
Charging time: aproximately 5h
2. Digital scale
Maximum capacity: 50Kg
Units of measure: kg, lb, oz, g
TARE function
3. Flashlight
Brightness: 60 lumens



SRXPB-A10K-B

POWERBANK

A10K-B

Capacity: 10.000 mAh
Li-Polymer Battery
LED Indicator
Input: MicroUSB
Output: 2 USB ports
Micro USB cable included (0.3m)
Dimensions: 13.1 x 7.0 x 1.5 cm
Weight: 255 g
Color: Black



SRXA-PB02

POWERBANK

4 IN 1

1. Power bank 1xUSB 0.5A
Capacity: 1400 mAh
Input power: 1000 mA
Output power: 500 mA
Charging time: app. 4h
2. Car charger USB 1A
3. Flashlight
Brightness: 100 lumens
Magnetic base
4. SOS signal light



SRXW-HD720P

HD WEB CAMERA

HD720P

Chipset: SUNPLUS H62+2075

Built-in microphone

Frame rate: 30 fps

Max Video resolution: 1280 x 720

Video format: MJPG/YUY2

Sensor: CMOS 1.0Mega pixels for image

Focus type: Manual focus

Auto Control: saturation, contrast, acutance, white balance, exposure

USB2.0 connection, Plug & Play

Angle: 70°



SRXW-HD1080P

FULL HD WEB CAMERA

HD1080P

Chipset: SONIX 2279+ 2053

Built-in microphone

Frame rate: 30fps

Max Video resolution: 1920 x 1080

Video format: MJPG/YUY2

Sensor: CMOS 2.0Mega pixels for image

Focus type: manual

Auto Control: saturation, contrast, acutance, white balance, exposure

USB 2.0 connection, Plug & Play

Angle: 70°



SRXW-HDA1080P

FULL HD WEB CAMERA WITH AUTO FOCUS

HDA1080P

Chipset: Sunplus2381+F23

Built-in microphone

Frame rate: 30 fps

Max Video resolution: 1920 x 1080

Video format: MJPG/YUY2

Sensor: CMOS HD 2.0 Mega pixels for image

Focus type: Autofocus

Auto Control: saturation, contrast, acutance, white balance, exposure

USB 2.0 connection, Plug & Play

Angle: 70°



SRXP-PS66B

POWER STRIP WITH USB PORTS

PS66B

6 schuko sockets
Input power 100-240V, 50-60Hz
Output power (Total): 2500W - 10A
4 USB ports (Auto Max) 17W
Output USB power (max): 3.4A
Auto ID function
Antistatic
On / off button
Power cord length: 2 m
Color: Black



SRXP-PS44W

POWER STRIP WITH USB PORTS

PS44W

4 schuko sockets
Input power 100-240V, 50-60Hz
Output power (Total): 2500W - 10A
4 USB ports (Auto Max) 17W; Output USB power (max): 3.4A
Auto ID function; Antistatic; On / off button
Power cord length: 2m; Color: White



SRXP-PS36B

POWER STRIP WITH USB PORTS

PS36B

3 schuko sockets
Input power 100-240V, 50-60Hz
Output power (Total): 2500W - 10A
6 USB ports (Auto Max) 15.5W
Output USB power (max): 3.4A
Auto ID function
Antistatic
On / off button
Power cord length: 1.6 m
Color: Black



SRXS-PS33B

POWER STRIP WITH USB PORTS

PS33B

3 universal sockets
Input power 100-240V, 50-60Hz
Output power (Total): 2500W - 10A
3 USB ports (Auto Max) 15.5W; Output USB power (max): 3.1A
Auto ID function; Antistatic; On / off button; Power cord length: 1.6 m; Color: Black




PORTABLE GAME CONSOLE



PGC200

Screen size: 2.7"
Resolution: 960x240 pixels
200 mini games included
Headphones port

Works with 3 AAA batteries (included) or MiniUSB cable



SRX-PGC200-BL



SRX-PGC200-PP



IN-EAR HEADPHONES WITH MIC

Stereo with microphone
Impedance: 32 Ohm
Frequency: 18Hz-20KHz
Connection: 3.5 mm Jack
On/Off - Play/Pause button
Cable length: 1.2m



SRXA-HDPHBLK



SRXA-HDPHPNK



SRXA-HDPHLIME



SRXA-HDPHBLUE



SRXA-HDPHRED



SRXA-HDPHWHT



ARMBAND

SMARTPHONE

Ideal for running, walking, riding a bike or hiking
Protects the phone against the scratches and dust
Allows use of touchscreen
Maximum dimensions: 8 x 14 cm
Special key pocket
3 colors available



SRXA-ARMBPNK



SRXA-ARMBLIME



SRXA-ARMBBLK

MOUSEPAD

TEXTILE

Fabric surface
Rubber base
Dimensions:
250 x 200 x 3mm



SRXA-MSP01



SRXA-MSP02



SRXA-ACC-2AAA

RECHARGEABLE BATTERIES

MICRO USB AAA

Type: AAA; Capacity: 450 mAh; Integrated MicroUSB port
2 in 1 charging cable; Charging time: approximately 5.5h
2 pieces / set



SRXA-Z07-5BLT

SELFIE STICK

BLUETOOTH Z07-5BLT

Bluetooth
Adjustable length 23.5 cm - 100 cm
Maximum phone size: 8.5"
Maximum phone weight: 500 g
Battery autonomy: ~100 h
Compatible with:
Android 3.0/iOS 7.0
or newer versions
Weight: 180 g



SRXS-CC01

USB CHARGER WITH BLUETOOTH HEADSET

BLUETOOTH CC01

Handsfree
Bluetooth v4.0
USB Port 5V/2.4A
LED light
Operating distance: < 10 m
4 hours talking autonomy
96 hours stand-by autonomy



SRXP-QC01

INCARCATOR RAPID

QC01

Schuko connector
2 USB ports
Input power:
100-240V, 50-60Hz
Output power:
5V 2.4A (1 USB) +
(1USB) QC3.0: 5V 3A / 9V 2A / 12V 1.5A
Color: White & Red





CONNECTORS



PREMIUM GOLD

Premium Gold X line from SeriouX is designed to offer the best audio and video experience.

All products are carefully made with high end materials and the latest technology.

HIGH-SPEED HDMI CABLE

SRXC-X1.5M01
Cable length: 1.5 m

SRXC-X3.0M02
Cable length: 3 m

OPTICAL AUDIO CABLE WITH TOSLINK CONNECTORS

SRXC-X1.5M05
Cable length: 1.5 m

SRXC-X3.0M06
Cable length: 3 m

AUDIO CABLE 3.5MM MALE STEREO - 2X RCA MALE

SRXC-X1.5M08
Cable length: 1.5 m

SRXC-X3.0M09
Cable length: 3 m

AUDIO CABLE 3.5MM MALE STEREO - 3.5MM MALE STEREO

SRXC-X1.5M07
Cable length: 1.5 m

AUDIO CABLE 2X RCA MALE - 2X RCA MALE

SRXC-X1.5M10
Cable length: 1.5 m

SRXC-X3.0M11
Cable length: 3 m

AUDIO/VIDEO CABLE RCA MALE - RCA MALE

SRXC-X1.5M03
Cable length: 1.5 m

SRXC-X3.0M04
Cable length: 3 m



AUDIO CABLES

2X RCA MALE - 2X RCA MALE

SRXC-AV1.5M01
Cable length: 1.5 m

SRXC-AV3.0M02
Cable length: 3 m

3.5MM STEREO MALE - 2X RCA MALE

SRXC-AV1.5M05
Cable length: 1.5 m

SRXC-AV3.0M06
Cable length: 3 m

3.5MM STEREO MALE - 3.5MM STEREO MALE

SRXC-AV1.5M07
Cable length: 1.5 m

SRXC-AV3.5M08
Cable length: 3 m

OPTICAL WITH TOSLINK CONNECTORS

SRXC-AV1.0M11
Cable length: 1 m

SRXC-AV1.5M12
Cable length: 1.5 m

EXTENSION AUDIO CABLES

2X RCA MALE - 2X RCA FEMALE

SRXC-AV1.5M03
Cable length: 1.5 m

SRXC-AV3.0M04
Cable length: 3 m

3.5MM STEREO MALE - 3.5MM STEREO FEMALE

SRXC-AV1.5M09
Cable length: 1.5 m

SRXC-AV3.0M10
Cable length: 3 m

ADAPTOR 3.5MM MALE - 2X 3.5MM FEMALE







SRXC-AV0.3M13
Cable length: 30 cm



VIDEO CABLES

FLAT HDMI

Cable length: 1.5 m

-  SRXC-AV1.5M14
-  SRXC-AV1.5M17
-  SRXC-AV1.5M15
-  SRXC-AV1.5M18
-  SRXC-AV1.5M16
-  SRXC-AV1.5M19



AUDIO - VIDEO CABLES

3X RCA MALE - 3X RCA MALE

SRXC-AV1.5M20
Cable length: 1.5 m
SRXC-AV3.0M21
Cable length: 3 m

SRXC-AV5.0M22
Cable length: 5 m



ADAPTORS

HDMI FEMALE - HDMI MALE 90°

SRXC-AV24

HDMI FEMALE - DVI MALE


SRXC-AV23



DATA CABLE

LIGHTNING

Compatible with all Apple devices with integrated Lightning port
Cable length: 1 m



DATA CABLE

MICRO USB

Compatible with all devices with microUSB port
Cable length: 1 m



DATA CABLE

TYPE C

Compatible with all devices with TypeC USB port
Cable length: 1 m

SRXC-C1.0M08



SRXC-C2.0M01

CABLE

**DVI-D MALE -
DVI-D MALE**

99.99% Oxygen-Free Copper
conductors
Gold-plated connectors
Cable length: 2 m



SRXC-C1.5M02

CABLE

**DVI-A MALE -
VGA MALE**

99.99% Oxygen-Free Copper
conductors
Gold-plated connectors
Cable length: 1.5 m



SRXC-C1.5M03 / SRXC-C3.0M04

CABLE

**USB A 2.0 MALE -
USB-B 2.0 MALE**

99.99% Oxygen-Free Copper
conductors
Gold-plated connectors
Cable length:
1.5 m / 3 m



SRXC-C1.0M05 / SRXC-C3.0M06

EXTENSION CABLE

**USB A 2.0 MALE -
USB-A 2.0 FEMALE**

99.99% Oxygen-Free Copper
conductors
Gold-plated connectors
Cable length:
1 m / 3 m



SRXC-C0.2M07

ADAPTOR

**TYPE C -
USB**

Compatible with all devices
with TypeC USB port
On the Go function



SRXC-C08

ADAPTOR

**DVI MALE -
VGA FEMALE**

DVI 18+5 pins male -
VGA 15 pins female
Gold-plated connectors





RETAIL DISPLAY SOLUTIONS

SRXAJARMUSB2BK

CABLE MICRO USB

Long-lasting PVC
Cable length: 1 meter
Black color
50 pieces



SRXAJARTYPC2BK

CABLE TYPE-C

Long-lasting PVC
Cable length: 1 meter
Black color
50 pieces



SRXAJARCC2BK

USB CAR CHARGER 2X USB

USB Ports:
1x 2.1A, 1x 1A
Black color
50 pieces



SRXA-DIS-APAD48

ANTI-SLIP MAT SILICONE

Ideal for phone, keys, glasses and other accessories
Sticks to surfaces inclined up to 45°
Can be washed and reused
Various colors
48 pieces







seriouX

WWW.SERIOUX.RO

STAY CONNECTED

 [SERIOUXEUROPE](#) 